

TECHNICAL SHEET

(according to the standard UNI EN ISO 14465)

| | |
|---------------------------|----------------------|
| ARTICLE: | VGT 3153 TP - ELISIR |
| COMPOSITION: | 100% CO |
| WEIGHT G/M LIN.: | 505 gr/mtl |
| REPEAT(WARP/WEFT): | NO |
| METERS PER ROLL: | 30 mt |
| WIDHT CM: | 140 |

REGULAR CARE AND LEGAL GUARANTEE:

Regular cleaning is important to keep the upholstery fabric looking its best and to extend its life. The guarantee is subject to the correct use of the fabric and its maintenance.

It is usually recommended that upholstered furniture with normal commercial use should be cleaned 2–3 times a year.

Upholsteries in private households usually need less frequent cleaning. In order to ensure satisfying cleaning results, we recommend to contact a professional cleaning institute.

Please follow the maintenance instructions of the technical data sheet.

| | |
|---|--|
| - Abrasion Resistance - Martindale UNI EN ISO 12947-2 + EN 14465, appendice A | Color degradation after 3000 giri: 4 Color degradation after 6000 giri: 4 END POINT (rubs): 10.000 |
| Pilling resistance by the modified martindale method UNI EN ISO 12945-2 | Degradation average photographic scale 1/5 : 3/4 At 2000 rubs: 4 |
| Colour fastness to light UNI EN ISO 105-B02 | Blue scale 1/8 result: 4/5 |
| Colour fastness to rubbing UNI EN ISO 105-X12 | Grey scale 1/5 dry: 3/4 wet: 3 |
| Dimensional change after washing UNI EN ISO 6330 | Narrowing (weft): Shortening (warp): |
| Dimensional change after dry cleaning UNI EN ISO 3175 | Narrowing (weft): Shortening (warp): |
| Resistance to yarn Slippage at stitched seams UNI EN ISO 13937-3 (din 14465) | Weft mm < 6 warp mm < 6 |
| Fire Resistance | - A: TB117:2013 CALIFORNIA - B: BS 5852-1:1979 - Schedule 4 part. I - C: - D: - E: |
| Environmental benefits | - No use of AZO dyes, which may split off carcinogenic acrylic amines. - No use of dyes containing heavy metals/complies with ETAD norm. - No use of brominated flame retardants. - Compiles with REACH regulation. |
| Sustainability | ECO-PATH (available on request) |
| Available teflon treatment | (on request) |
| Type of finish used | AIRO WITH SOFTNER |
| Tariff code | |
| Raw Material & Weaving | Made in Italy |



